

COILED STAINLESS STEEL

Company Name	Product Name	Type (Fixed Core or Movable Core)	Diameter (inch)	Length (cm)	Tip Type	Anti-Thrombogenic (Yes/No)	Comments
Abbott Vascular	Hi-Torque Supra Core 35 Guide Wire	Fixed	.035	145, 190, 300	Straight	No	Supportive wire with soft atraumatic tip.
	Hi-Torque Steelcore 18 Guide Wire		.018	190, 300	Straight		Supportive wire with flexible, shapeable core-to-tip design.
	Hi-Torque Steelcore 18 LT Guide Wire		.018	190, 300	Straight		Supportive wire with durable, shapeable core-to-tip design. Transition length: 7.5 cm.
				190, 300	J-curved		
	Hi-Torque Spartacore 14 Guide Wire		.014	130, 190, 300	Straight		Supportive wire with shapeable core-to-tip design. Transition length: 5 cm.
		130, 190, 300	Straight	Supportive wire with shapeable core-to-tip design. Transition length: 10 cm.			
AngioDynamics	AngioDynamics PTFE-Coated	Fixed core and movable core	.035, .038	150, 180	Straight, J-curved, Newton LT, LLT, LLLT, Bentson, heavy duty, and Rosen	Precoated with PTFE	Pre-coated with PTFE coating then coiled; results in smooth outer surface and independent movement of coils.
B. Braun	B. Braun Guidewires	Fixed core	.014, .018	40, 80, 180, 265	Straight	No	Available in a variety of configurations: PTFE coating, reference markers, stainless steel, or nitinol, and stainless steel or platinum tip.
Boston Scientific Corporation	Amplatz Super Stiff	Fixed	.035	75, 145, 180, 260	3-mm J, Straight	Not provided	A larger inner core provides added strength for access and stability during catheter placement and exchange, teflon coating facilitates entry and smooth catheter tracking.

GUIDE WIRES

COILED STAINLESS STEEL							
Company Name	Product Name	Type (Fixed Core or Movable Core)	Diameter (inch)	Length (cm)	Tip Type	Anti-Thrombogenic (Yes/No)	Comments
Boston Scientific Corporation	Amplatz Super Stiff Short Tip	Fixed	.035	145, 260	Short tip	Not provided	Not provided.
	Starter	Fixed or movable	.018, .035	80, 125, 150, 260	J, Bentson, Newton, Rosen, straight	PTFE or PTFE/heparin coated	Not provided.
	Schneider	Fixed or movable	.035, .032	45, 145, 160, 180, 260,	J, Bentson, Newton, double flex, straight	With heparin coating	Not provided.
Cook Incorporated	Safe-T-J	Fixed core	.018, .021, .025, .035, .038	50, 80, 145, 180, 200, 260	J-curved	With or without	Available in either a standard or stiff shaft configuration.
	Bentson	Fixed core	.025, .032, .035, .038	145, 180, 260	Straight	With or without	20-cm flexible tip length that is available in a standard or stiff shaft configuration.
	Newton	Fixed core	.035, .038	145, 180	Straight	With or without	Available with either a 10-cm or 15-cm flexible tip length.
	Rosen	Fixed core	.035	80, 145, 180, 260	J-curved	With or without	Stiff shaft with short flexible tip and tight (1.5 mm) J-curved.
	Amplatz Extra Stiff	Fixed core	.025, .035, .038	80, 145, 180, 260	J-curved, straight	With or without	Stiff shaft.
	Amplatz Ultra Stiff	Fixed core	.035	80, 145, 180	J-curved, straight	With or without	Stiffer than the Amplatz Extra Stiff but not as stiff as the Lunderquist.
	Lunderquist	Mandril	.035	90, 145, 180, 260, 300	J-curved, straight	No	Extremely stiff wire for catheter/device exchanges.
	Lunderquist DC	Mandril	.035	260, 300	Double curve	No	Extremely stiff wire for catheter/device exchanges.
	Double Flexible Tip	Fixed core	.035, .038	145	J-curved, straight	With or without	Flexible tip on both ends of the wire guide. J-curved on one end, straight on the other end.
	Amplatz Tapered	Moveable core	.035	145	J-curved	With or without	Not provided.
Tefcor Moveable Core	Moveable core	.035, .038	145	J-curved, straight	With or without	Not provided.	

COILED STAINLESS STEEL

Company Name	Product Name	Type (Fixed Core or Movable Core)	Diameter (inch)	Length (cm)	Tip Type	Anti-Thrombogenic (Yes/No)	Comments
Cordis Endovascular Division of Cordis Corporation	Emerald Diagnostic Guidewires	Fixed core and movable core	.018, .025, .032, .035, .038, .065	150, 175, 180, 220, 260	Wide variety	Yes	Not provided.
ev3 / Invatec	Nitrex	Mandril	.014, .018, .025, .035	60, 80, 145, 180, 260, 300, 400	Straight, angled	Silicone	An all-nitinol, kink-resistant, silicone-coated, gold-tipped wire offered in a standard and stiff shaft.
	Babywire	Nitinol	.012	18, 50	Straight	No	Designed with double ended rounded tips and dual flexible ends.
	Skipper	Fixed core	.014	195, 300	Straight	No	First line 30-cm spring coil guidewire (silicone).
	Skipper Race	Fixed core	.014	195, 300	Straight	No	First line 30-cm spring coil guidewire (hydrophilic).
Merit Medical	InQwire PTFE Coated	Fixed core and movable core	.014, .018, .021, .025, .035, .038	80, 150, 180, 260	Straight, 1.5 J Rosen, 1.5 J, 3.0 J, 6.0 J, 15 J	With or without	Rosen, super stiff, Bentson, Newton.
Tyco Healthcare Mallinckrodt	Wholey Hi-Torque Modified J	Fixed core	.035	145, 175, 260, 300	J-curved	PTFE coated	Not provided.
	Wholey Hi-Torque Floppy	Fixed core	.035	145, 175, 260	Straight	PTFE coated	
	Wholey Hi-Torque Standard	Fixed core	.035	145, 300	Straight	PTFE coated	
	Wholey Hi-Torque Plus	Fixed core	.035	145, 190, 300	Straight	PTFE coated	
	TAD II	Fixed core	.018, .035	145, 200, 260	Straight	PTFE coated	
	TAD	Fixed core	.018, .035	145, 200, 300	Straight	PTFE coated	
	Flex-T Hi-Torque	Fixed core	.018	145, 200, 295	Straight	MicroGlide coated	
	LOC Extension	Fixed core	.035	115	Straight	Polyethylene coated	
DOC Extension	Fixed core	.014, .018	290	Straight	Polyethylene coated		
Vascular Solutions, Inc.	VSI Guidewires	Fixed core	.014, .018	40, 50, 60, 80, 100, 130	Straight	PTFE coated	Available in a variety of configurations: PTFE coating, reference markers, stainless steel or nitinol, and stainless steel or platinum tip.